

Welcome To Warehouse Steps

Our range of warehouse steps offers a safe and strong solution for all your professional and domestic needs.

Our Mobile Steps are available in a range of sizes and colours.



Promaster Tilt and Pull Mobile Steps & Handy Step	52
Promaster Mobile Safety Steps	53
Promaster Podium Step	54
Promaster Telescopic Safety Platform	55
Pak-Flat Podium	56
Razor Deck Tower	57
Smart Deck	58

Tilt & Pull Mobile Step and Handy Step

- Tubular steel structure
- Wide treads covered with an anti-slip PVC material
- Epoxy powder finish

PROMASTER

	Safety Tested		Max. Load
			150 kg 23.6 st

Suitable for professional and domestic use



To move simply tilt forward onto wheels and pull

Promaster Handy Step

Product Code	No. of Treads	Overall WxDxH	Platform Size WxDxH	Top Tread Height	Product Weight
64104	2	0.50 x 0.48 x 1.34m (1'8" x 1'7" x 4'5")	0.45 x 0.19m (1'6" x 7")	0.5m (1'8")	7kg

Promaster Tilt & Pull Mobile Steps

Product Code	Product Colour	No. of Treads	Overall WxDxH	Platform Size WxDxH	Top Tread Height	Product Weight
64108	Blue	2	0.52 x 0.63 x 1.05m (1'8" x 2'1" x 3'5")	0.45 x 0.19m (1'6" x 7")	0.5m (1'8")	11kg
64109	Red	2	0.52 x 0.63 x 1.05m (1'8" x 2'1" x 3'5")	0.45 x 0.19m (1'6" x 7")	0.5m (1'8")	11kg
64112	Blue	3	0.52 x 0.81 x 1.31m (1'8" x 2'8" x 4'4")	0.45 x 0.19m (1'6" x 7")	0.75m (2'6")	13kg
64113	Red	3	0.52 x 0.81 x 1.31m (1'8" x 2'8" x 4'4")	0.45 x 0.19m (1'6" x 7")	0.75m (2'6")	13kg
64116	Blue	4	0.52 x 1.01 x 1.70m (1'8" x 3'4" x 5'7")	0.45 x 0.19m (1'6" x 7")	1m (3'3")	17kg
64117	Red	4	0.52 x 1.01 x 1.70m (1'8" x 3'4" x 5'7")	0.45 x 0.19m (1'6" x 7")	1m (3'3")	17kg

Mobile Safety Steps

- Robust tubular steel construction with double handrails
- Steps are made mobile with the use of a lever
- Treads in punched steel with anti-slip PVC coating
- Tread size: 0.55m wide x 0.19m deep
- Platform size: 0.55m wide x 0.38m deep
- Epoxy powder coated: Blue

PROMASTER



	Safety Tested		Max. Load 150 kg 23.6 st
Suitable for professional and domestic use			



Lever makes steps mobile

Product Code	No. of Treads	Overall Height	Platform Height	Overall Depth	Overall Width	Product Weight
64003	3	1.67m (5'6")	0.75m (2'6")	0.74m (2'5")	0.84m (2'9")	22kg
64004	4	1.92m (6'4")	1m (3'3")	0.90m (2'11")	0.84m (2'9")	26kg
64005	5	2.17m (7'1")	1.25m (4'1")	1.11m (3'8")	0.84m (2'9")	36kg
64006	6	2.42m (7'11")	1.50m (4'11")	1.27m (4'2")	0.84m (2'9")	40kg
64007	7	2.76m (9'1")	1.75m (5'9")	1.35m (4'5")	0.85m (2'9")	62kg
64008	8	3.01m (9'11")	2m (6'7")	1.51m (4'11")	0.85m (2'9")	66kg
64009	9	3.26m (10'8")	2.25m (7'4")	1.67m (5'6")	0.85m (2'9")	70kg
64010	10	3.51m (11'6")	2.50m (8'2")	1.84m (6')	1m (3'3")	75kg

Podium Step

PROMASTER

- Folds flat for easy transportation
- Hook locking devices on each step
- Easy to operate gate locking hook
- Telescopic side frames extend and lock into position
- Maintains a guardrail height of 1m above the platform at all 4 platform heights
- Non-slip platform
- East to manoeuvre

	Safety Tested		Max. Load
			150 kg 23.6 st

Suitable for professional and domestic use



Product Code	Platform Heights	Platform Dimensions	Overall Height	Overall Width	Overall Length	Product Weight
60301	0.4m (1'4"), 0.8m (2'7") 1m (3'3") 1.12m (3'8")	0.6 x 0.6m (2') x (2')	1.99m (6'6")	0.68m (2'3")	1.25m (4'1")	22kg

Telescopic Safety Platforms

- Unique, adjustable telescopic multi-height design can be used in stairwell and on uneven ground
- Stabilisers fold and adjust for convenience and extra safety
- Wheels allow for easy repositioning
- Solid work platform with toe boards for added security.
- Platform dimensions 0.60m (1'12") x 0.42m (1'5")
- Lightweight and strong aluminium construction
- Quick and easy to assemble
- Safety guardrail on all sizes
- Approved by the Health & Safety Executive



Compact folded dimensions for easy transportation and storage



Folding Stabilisers



Built in work tray

	Safety Tested		Max. Load 150 kg 23.6 st
--	---------------	--	--------------------------------

Suitable for professional and domestic use

Product Code	No of Treads	Platform Heights	Folded Height	Product Weight
60304	4 to 6	1.06m to 1.52m (3'6") to (5')	2.38m (7'10")	30kg
60307	7 to 9	1.77m to 2.23m (5'10") to (7'4")	3.13m (10'3")	36kg

Pak-Flat Podium

- Lightweight and robust low-level flat pack work platform
- 2 platform heights
- Simple to assemble / quick to erect
- Easy to store & manoeuvre
- Fits through standard doorways
- No detachable parts

ABRU



Compact folded dimensions

 <p>Safety Tested</p>	 <p>Max. Load 150 kg 23.6 st</p>
---	---

Suitable for professional and domestic use



Easy to transport

Product Code	Platform Levels	Platform Area	Max Assembled Size (W x D x H)	Collapsed Size (W x D x H)	Handrail Height	Product Weight
60311	0.5m (1'8") 0.75m (2'6")	0.55 x 0.55m (1'10" x 1'10")	0.68 x 1.19 x 1.81m (2'3" x 3'10" x 5'11")	0.68 x 0.48 x 1.81m (2'3 x 1'7" x 5'11")	1.7m (5'7") from ground	23kg
60312	0.7m (2'4") 0.95m (3'2")	0.60 x 0.60m (1'11" x 1'11")	0.73 x 1.4 x 2.1m (2'5" x 4'7" x 6'11")	0.73 x 0.48 x 2.1m (2'5" x 1'7" x 6'11")	1.9m (6'3") from ground	25kg

Razor Deck Tower

ABRU

- One tower with three working heights
- No detachable parts to lose, damage or forget when assembling
- Full folding flat pack design
- Easy to use, store and transport

	Safety Tested		Max. Load
			150 kg 23.6 st

Suitable for professional and domestic use



Product Code	Platform Size	Platform Height	Flat Size	Max Assembled Size (W x D x H)	Product Weight
60313	0.77 x 1.14m (2'6" x 3'9")	0.55, 1 & 2m (1'10", 3'3" & 6'7")	1.71 x 0.77 x 0.89m (5'7" x 2'6" x 2'11")	1.71 x 1.68 x 3.10m (5'7" x 5'6" x 10'3")	82kg
60314	1.5 x 0.68m (4'11" x 2'3")	1, 1.8 & 3.6m (3'3", 5'11" & 11'10")	1 x 1.6 x 1m (3'3" x 5'3" x 3'3")	2 x 2.6 x 4.5m (6'7" x 8'6" x 14'9")	180kg

Email us at sales@abru.co.uk

Smart Deck

ABRU

- One person operation
- Simple to assemble and dismantle
- No pins, clips or component bags to lose, damage or forget when assembling
- Easy to transport and store - can be transported by car
- Compact dimensions allow easy manoeuvring while assembled
- Fully guardrailed to ensure user safety at all times, at all heights
- Access and egress from either end of the platform
- Max working height of 3m

 Safety Tested	 Max. Load 150 kg 23.6 st
Suitable for professional and domestic use	



Product Code	Platform Size	Platform Height	Product Weight
60401	1.1 x 0.73m (3'7" x 2'5")	0.45m, 0.53m, 0.60m, 0.74m & 0.87m (1'6", 1'9", 2', 2'5" & 2'10")	82kg